Rittal - The System.

Faster – better – everywhere.

Compact enclosures AE − AE 1280.500

Date: Nov 10, 2020



NCLOSURES >> POWER DISTRIBUTION >> CLIMATE CONTROL >> IT INFRASTRUCTURE >> SOFTWARE & SERVICES >>

Compact enclosures AE – AE 1280.500 created: 10.11.2020 on www.rittal.com/com-en



Discontinued article.

This item will be discontinued on: $30.09.2020 \parallel \parallel$ This item is being replaced by: 1280000

Height: 1200 mm Depth: 300 mm

Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit 3-point lock system
Basic material:	Sheet steel
Product features	
Dimensions:	Width: 800 mm

© Rittal 2020

1

Material thickness: Enclosure: 1.5 mm Door: 2 mm Mounting plate: 3 mm Mounting plate: Width: 740 mm Height: 1155 mm Number of doors: 1 Door hinged on the yes right, may be swapped to the left: Lock version: 3-point lock system 1 Number of locks: Lock insert: 3 mm double-bit Gland plate, size: 5 Gland plate, qty.: 1 Packs of: 1 pc(s). Weight/pack: 70 kg EAN: 4028177252455 **Customs tariff** 94032080 number: ETIM 7.0: EC000261 ETIM 6.0: EC000261 eCl@ss 8.0/8.1: 27180101 eCl@ss 6.0/6.1: 27180101 AE Compact enclosure, WHD: 800x1200x300 mm, Sheet steel, with mounting plate, **Product description:** single-door, 3-point lock system **Approvals**

Approvals: Bureau Veritas

DNV-GL

Lloyds Register of Shipping

RRR

Russian Maritime Register of Shipping

© Rittal 2020 2

UL + cUL + CSA

Certificates:	Certificate of manufacturer according to RMRS EAC IK-Code Protection category
Declarations:	Declaration of conformity

Declarations: Declaration of conformity

3